



# Face Protection

Lightweight. Comfortable.



# MULTI-FIT VISORS

Bullard visors are designed to help provide protection to the face from many hazards. When used with Bullard brackets, all visors conform to ANSI/ISEA Z87.1-2010 for faceshields (Z87 for non-impact protector - previously known as "basic impact" - and Z87+ for impact protector - previously known as "high impact"). For maximum versatility, all Bullard visors fit all Bullard brackets. These visors are available in a variety of materials and sizes for specific applications, environments and performance needs. Multi-fit visors can attach to most competitive brackets.

## POLYESTER *General Use, Z87*




840ME



E840ME

## ACETATE *Chemical Resistance, Z87*



640M



640G\*



840M



840MG



840MH\*



860H\*



CS40



1040

## POLYCARBONATE *Impact and High-Heat, Z87+*



680P\*



840P\*



860P\*



880P\*



WS60PM

## TRITAN™ *Chemical Resistance and Impact, Z87+*



680T\*



840T\*



860T\*



880T\*



WS60TM

## MESH *Fog-free, General Use, Z87-S Special Purpose*



6S24  
(plastic)



8S24  
(metal)

\*indicates the visor is not multi-fit

• indicates that the visor is heat-formed for ease of attachment



When the job calls for both head and face protection, choose from the complete line of nylon dielectric or gold anodized aluminum brackets from Bullard. Brackets are available in several mounting styles designed to attach securely to Bullard hard hats and caps, as well as those of most competitors.

# MULTI-FIT BRACKETS

## ALUMINIZED *Chemical Resistance and High-Heat*



100G



110G



112G



500M

## NYLON *Lightweight and Dielectric*



300B



400



300BW



400W



312B

## HEADGEAR *Comfort fit without Head Protection*



SENTINEL1



SENTINEL2



CP1



CP2

## VISORS *for SENTINEL 2 with holes for Chin Protector*



840MX2



840PX2



840TX2

# Bullard Face Protection

Meeting your face protection needs.

## Visor Material Performance

	Acetate	Tritan	Polycarbonate	Polyester	Mesh Screen
Clarity	Best	Better	Better	Good	N/A
Chemical splash	Best	Better	Fair	Low	N/A
Alkalines	Best	Better	Fair	Better	N/A
Acids	Best	Better	Fair	Better	N/A
Solvents	Good	Good	Good	Good	N/A
Temperature resistance	Good	Better	Best	Low	8S24 (Metal) Best 6S24 (Plastic) Low
Impact & penetration	Good	Better	Best	Low	Good
Fog resistance	Better	Good	Good	Good	Best
Scratch resistance	Best	Better	Best	Better	Best
UV radiation	Fair	Better	Best	Fair	N/A

## Bullard Visor Applications

Activity	Hazards	Impact Protection Needed	Suggested Visor Material	Appropriate Bullard Visor Models
Chemical handling	Chemical splash or spill, acid burns, fumes, glass breakage	Z87	Acetate, Tritan	640M, 840M, 1040, CS40, 680T, 840T, 860T, 880T, WS60TM
Laboratory operations	Chemical splash or spill, acid burns, fumes, glass breakage	Z87	Acetate, Tritan	640M, 840M, 1040, CS40, 680T, 840T, 860T, 880T, WS60TM
Grinding	Flying particles, dust	Z87+	Polycarbonate, Tritan	640P, 840P, 860P, 880P, WS60PM, 680T, 840T, 860T, 880T, WS60TM
Sawing	Flying particles, dust	Z87+	Polycarbonate, Tritan	640P, 840P, 860P, 880P, WS60PM, 680T, 840T, 860T, 880T, WS60TM
Machining	Flying particles, mists, vapors	Z87+	Polycarbonate, Tritan	640P, 840P, 860P, 880P, WS60PM, 680T, 840T, 860T, 880T, WS60TM
Medical examinations, first aid	Contact with body fluids/bloodborne pathogens	Z87	Acetate, Tritan	640M, 840M, 1040, CS40, 680T, 840T, 860T, 880T, WS60TM
Pesticide/fertilizer application	Chemical splash or spill, airborne chemicals	Z87	Acetate, Tritan	640M, 840M, 1040, CS40, 680T, 840T, 860T, 880T, WS60TM
Spray cleaning, (dirt, grime, etc.)	Flying particles, mists, splash	Z87	Polyester	840ME, E840ME
Molten metal handling	Molten splash	Z87	Polycarbonate	680P, 840P, 860P, 880P, WS60PM
Tree trimming	Flying particles	Z87	Mesh Screen	6S24, 8S24

## Bullard Brackets

Model	Description	Material	Standard	Fits Hard Hat Models									No Hard Hat Needed
				Cap Style				Full-Brim		Type II		Bump Cap	
				C30	S61	S62	S51	C33/C34	S71	Advent	Vector		
300B	Dielectric, band mounting	Nylon	Z87/Z87+	x	x	x	x			x	x	x	
300BW	Dielectric, band mounting with neoprene gasket	Nylon	Z87/Z87+	x	x	x	x			x	x	x	
400	Dielectric, slot mounting	Nylon	Z87/Z87+	x	x	x	x						
400W	Dielectric, slot mounting with neopene gasket	Nylon	Z87/Z87+	x	x	x	x						
312B	Dielectric, band mounting	Nylon	Z87/Z87+					x	x				
100G	Gold Line, band mounting	Aluminum	Z87/Z87+	x	x	x	x					x	
110G	Gold Line, band mounting for reverse orientation	Aluminum	Z87/Z87+	x	x	x	x						
112G	Gold Line, band mounting	Aluminum	Z87/Z87+					x	x				
500	Gold Line, slot mounting	Aluminum	Z87/Z87+	x									
SENTINEL1	Headgear	ABS	Z87/Z87+										x
SENTINEL2	Headgear with chin protector	ABS	Z87/Z87+										x
ADFB	Accessory blades and hardware	ABS	Z87/Z87+							x	x		

**Americas:**  
**E.D. Bullard Company**  
 1898 Safety Way  
 Cynthia, KY 41031-9303  
 Toll free: 877-BULLARD (285-5273)  
 Tel: 859-234-6616  
 Fax: 859-234-8987  
[www.bullard.com](http://www.bullard.com)

**Europe:**  
**Bullard GmbH**  
 Lilienthalstrasse 12  
 53424 Remagen • Germany  
 Tel: +49-2642 999980  
 Fax: +49-2642 9999829  
[www.bullardextrem.com](http://www.bullardextrem.com)

**Asia-Pacific:**  
**Bullard Asia Pacific Pte. Ltd.**  
 LHK Building  
 701, Sims Drive, #04-03  
 Singapore 387383  
 Tel: +65-6745-0556  
 Fax: +65-6745-5176  
[www.bullard.com](http://www.bullard.com)



©2011 Bullard. All rights reserved.  
 Eastman and Tritan are trademarks of Eastman Chemical Company.

8328 (0111)