

CORROSION INNOVATIONS



Read Our Product White Paper



CHLOR*RID™ SP8

Stop Losing Days to Weather Delays

Tired of project delays that result in flash rust that require you to re-blast? There's a better way! Apply CHLOR*RID™ SP8 Gel, pressure wash with SP8 Rinse, and you're ready to go. Save time and money while lowering your carbon footprint by reducing the use of rental equipment, costly cleanup, and additional labor.

Surface Preparation Products

Our top-rated CHLOR*RID™ and HoldTight® surface preparation products ensure optimal coating adhesion, extending the lifespan of your assets and reducing the need for extensive maintenance.



Field Test Kits

Ask our AMPP-certified experts about our comprehensive range of CHLOR*RID™ field test kits for chlorides, sulfates, and nitrates for your next project. Visit chlor-rid.com to learn more about our full product range.

corinnovations.com • chlor-rid.com • holdtight.com

Test Kits

CHLOR*TEST



PART NUMBER
HL3000076782

DESCRIPTION

CHLOR*TEST - TESTS CHLORIDES ON SURFACE
- 5 TESTS

HL3000076783

CHLOR*TEST - TESTS CHLORIDES ON SURFACE
- BULK 50 TESTS

CHLOR*TEST A



PART NUMBER
HL3000076787

DESCRIPTION

CHLOR*TEST 'A' - CHLORIDE ION TEST FOR ABRASIVES
- 4 TESTS

HL3000076788

CHLOR*TEST 'A' - CHLORIDE ION TEST FOR ABRASIVES
- BULK 40 TESTS

CHLOR*TEST C



PART NUMBER
HL3000076782

DESCRIPTION

CHLOR*TEST 'C' - CHLORIDE TEST FOR CONCRETE
- 4 TESTS

CHLOR*TEST CSN



PART NUMBER
HL3000076792

DESCRIPTION

CHLOR*TEST 'CSN' - CHLORIDE/SULFATE/NITRATE ION TESTS
FOR SURFACES - FULL KIT with METER / 5 TESTS

HL3000076793

CHLOR*TEST 'CSN' - CHLORIDE/SULFATE/NITRATE ION TESTS
FOR SURFACES - REFILL TEST KIT / 5 TESTS

HL3000076794

CHLOR*TEST 'CSN' - CHLORIDE/SULFATE/NITRATE ION TESTS
FOR SURFACES - REFILL BULK TEST KIT with 50 TESTS

HL3000076799

CHLOR*TEST 'CSN' - CHLORIDE/SULFATE/NITRATE ION TESTS
FOR SURFACES - 1500 METER

CHLOR*TEST W



PART NUMBER
HL3000076789

DESCRIPTION

CHLOR*TEST 'W' - CHLORIDE ION TEST FOR WATER/LIQUIDS
- 5 TESTS

HL3000076790

CHLOR*TEST 'W' - CHLORIDE ION TEST FOR WATER/LIQUIDS
- BULK 50 TESTS

eCHLOR*TEST



PART NUMBER
CHL3000076784

DESCRIPTION

eCHLOR*TEST - TESTS CHLORIDES ON SURFACE
- 5 TESTS

CHL3000076785

eCHLOR*TEST - TESTS CHLORIDES ON SURFACE
- REFILL 5 TESTS

CHL3000076786

eCHLOR*TEST - TESTS CHLORIDES ON SURFACE
- REFILL BULK 50 TESTS

Salt Removal



CHLOR*RID / CHLOR*WASH



PART NUMBER	DESCRIPTION
CHL3000076466	CHLOR*RID LIQUID SOLUABLE SALT REMOVER 1:100 RATIO / 5-GALLON PAIL = 500 GALLONS
CHL3000076515	CHLOR*WASH LIQUID SOLUABLE SALT REMOVER 1:1 RATIO / 5-GALLON PAIL = 5 GALLONS

CHLOR*RID DTS



PART NUMBER	DESCRIPTION
HL3000076498	DIRECT TO SURFACE - LIQUID SOLUABLE SALT REMOVER 1:1 RATIO / 5-GALLON PAIL = 5 GALLONS

HOLDTIGHT SP8 / CHLOR*RID SP8




PART NUMBER	DESCRIPTION
HTSP8GEL	HOLDTIGHT SP8 GEL - 1:1 RATIO / 5-GALLON PAIL = 5 GALLONS
HTSP8RINSE	HOLDTIGHT SP8 RINSE - 1:50 RATIO / 5-GALLON PAIL = 250 GALLONS
CHLSP8GEL	CHLOR*RID SP8 GEL - 1:1 RATIO / 5-GALLON PAIL = 5 GALLONS
CHLSP8RINSE	CHLOR*RID SP8 RINSE - 1:50 RATIO / 5-GALLON PAIL = 250 GALLONS

CHLOR*RID HOLD*BLAST



PART NUMBER	DESCRIPTION
CHL3000076458	HOLD*BLAST SURFACE PASSIVATOR - 1:50 RATIO / 5-GALLON PAIL = 250 GALLONS

HOLDTIGHT 102



PART NUMBER	DESCRIPTION
HT102P LIQUID	SOLUBLE SALT REMOVER & FLASH RUST PREVENTER - 1:50 RATIO / 5-GALLON PAIL = 250 GALLONS

Flash Rust Prevention



HOLDTIGHT



CHLOR*RID™



CHLOR*RID SP8 RINSE



PART NUMBER	DESCRIPTION
CHLSP8RINSE	CHLOR*RID SP8 RINSE - 1:50 RATIO / 5-GALLON PAIL = 250 GALLONS

CHLOR*RID HOLD*BLAST



PART NUMBER	DESCRIPTION
CHL3000076458	HOLD*BLAST SURFACE PASSIVATOR - 1:50 RATIO / 5-GALLON PAIL = 250 GALLONS

HOLDTIGHT SP8 RINSE



PART NUMBER	DESCRIPTION
HTSP8RINSE	HOLDTIGHT SP8 RINSE - 1:50 RATIO / 5-GALLON PAIL = 250 GALLON

HOLDTIGHT 102 AND 365



PART NUMBER	DESCRIPTION
HT102P LIQUID	SOLUBLE SALT REMOVER & FLASH RUST PREVENTER - 1:50 RATIO / 5-GALLON PAIL = 250 GALLON
HT365P LIQUID	ANTI-CORROSION COATING, LUBRICANT & WATER DISPLACER / 1:1 RATIO / 5-GALLON PAIL = 5 GALLONS

Flash Rust Removal

NOTE: *Chlor*Rid SP8 / HoldBlast SP8 is a two-step process. Apply the SP8 Gel, let dwell, and then pressure wash with SP8 Rinse mixture. Please see data sheets for detailed application information.*

HOLDTIGHT SP8 / CHLOR*RID SP8



PART NUMBER	DESCRIPTION
HTSP8GEL	HOLDTIGHT SP8 GEL - 1:1 RATIO / 5-GALLON PAIL = 5 GALLONS
HTSP8RINSE	HOLDTIGHT SP8 RINSE - 1:50 RATIO / 5-GALLON PAIL = 250 GALLONS
CHLSP8GEL	CHLOR*RID SP8 GEL - 1:1 RATIO / 5-GALLON PAIL = 5 GALLONS
CHLSP8RINSE	CHLOR*RID SP8 RINSE - 1:50 RATIO / 5-GALLON PAIL = 250 GALLONS

Coating Manufacturer Product Approval Matrix



Coating Manufacturer Atmospheric & Immersion Service Product Approvals for Chlor*Rid and HoldTight Surface Preparation Products



Product	Advanced Polymers		Belzona		Carboline		Dampney		Denso	
	Atmospheric Service	Immersion Service	Atmospheric Service	Immersion Service	Atmospheric Service	Immersion Service	Atmospheric Service	Immersion Service	Atmospheric Service	Immersion Service
CHLOR*RID	Project Approval Required	Project Approval Required	Approved	Project Approval Required	Approved	Approved	Approved	Project Approval Required	Approved	Project Approval Required
CHLOR*RID DTS	Project Approval Required	Project Approval Required	Approved	Project Approval Required	Approved	Approved	Approved	Project Approval Required	Approved	Project Approval Required
CHLOR*RID SP8 GEL	Project Approval Required	Project Approval Required	Approved	Project Approval Required	Approved	Approved	Approved	Project Approval Required	Approved	Project Approval Required
CHLOR*RID SP8 RINSE	Project Approval Required	Project Approval Required	Approved	Project Approval Required	Approved	Approved	Approved	Project Approval Required	Approved	Project Approval Required
CHLOR*RID Hold*Blast	Project Approval Required	Project Approval Required	Approved	Project Approval Required	Approved	Approved	Approved	Project Approval Required	Approved	Project Approval Required
HOLDTIGHT SP8 RINSE	Project Approval Required	Project Approval Required	Approved	Project Approval Required	Approved	Approved	Approved	Project Approval Required	Approved	Project Approval Required
HOLDTIGHT SP8 GEL	Project Approval Required	Project Approval Required	Approved	Project Approval Required	Approved	Approved	Approved	Project Approval Required	Approved	Project Approval Required
HOLDTIGHT 102	Project Approval Required	Project Approval Required	Approved	Project Approval Required	Approved	Approved	Approved	Project Approval Required	Approved	Project Approval Required
HOLDTIGHT HT365	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A



Product	Hempel		International		Jotun		PPG		Sherwin Williams	
	Atmospheric Service	Immersion Service	Atmospheric Service	Immersion Service	Atmospheric Service	Immersion Service	Atmospheric Service	Immersion Service	Atmospheric Service	Immersion Service
CHLOR*RID	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required
CHLOR*RID DTS	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required
CHLOR*RID SP8 GEL	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required
CHLOR*RID SP8 RINSE	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required
CHLOR*RID Hold*Blast	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required
HOLDTIGHT SP8 RINSE	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required
HOLDTIGHT SP8 GEL	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required
HOLDTIGHT 102	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required
HOLDTIGHT HT365	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A



Product	Sigma		SPI		Tnemec		Wasser	
	Atmospheric Service	Immersion Service	Atmospheric Service	Immersion Service	Atmospheric Service	Immersion Service	Atmospheric Service	Immersion Service
CHLOR*RID	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required
CHLOR*RID DTS	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required
CHLOR*RID SP8 GEL	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required
CHLOR*RID SP8 RINSE	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required
CHLOR*RID Hold*Blast	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required
HOLDTIGHT SP8 RINSE	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required
HOLDTIGHT SP8 GEL	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required
HOLDTIGHT 102	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required	Approved	Project Approval Required
HOLDTIGHT HT365	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Gregg Taney
President
713.625.7537
832.245.5208
gregg@corinnovations.com

Jeremi Day
Chief Technical Officer
713.625.7537
409.454.9329
jeremi@corinnovations.com
AMPP #65
MasterCoatings Inspector

Matt Valentine
VP of Sales - Chlor*Rid
713.625.7537
330.284.1043
matt@corinnovations.com
AMPP #6720
Certified Coating Inspector Level III

Ken Rossy
VP of Sales - HoldTight
713.266.9339 (Ext 202)
832.633.0430
ken@corinnovations.com
AMPP #35912
Certified Coating Inspector Level I

Liquid Surface Preparation Product Comparison



Product	pH	Topical Salt Remover	Non-Water Soluble Contaminant Remover	Surface Passivator	Add to Blast	Fully Evaporative	Removes / Prevents Flash Rust
CHLOR*RID™	Acidic	✓	✓		✓		
CHLOR*RID™ DTS	Acidic	✓	✓				
CHLOR*RID™ SP8 GEL	Acidic	✓	✓				✓
CHLOR*RID™ SP8 RINSE	Alkaline	✓		✓	✓	✓	✓
CHLOR*RID™ Hold*Blast	Alkaline	✓		✓	✓		✓
HOLDTIGHT™ SP8 RINSE	Alkaline	✓		✓	✓	✓	✓
HOLDTIGHT™ SP8 GEL	Acidic	✓	✓				✓
HOLDTIGHT™ 102	Alkaline	✓		✓	✓		✓
HOLDTIGHT™ HT365	N/A						✓



HOLDTIGHT™ SP8


&



CHLOR*RID™ SP8

Revolutionizing Surface Preparation

Contaminated Metal



SP8 Process



Decontaminated Metal



Schedule a Demo! **800-553-3625**

corrinnovations.com • chlor-rid.com • holdtight.com

