

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code:	VF77T	
Product Name:	VF-77T	
Company Name:	Vibra Finish Co. 2220 N. Shasta Way Simi Valley, CA 93065	Phone Number: +1 (800)635-0259
Web site address:	www.vibrafinish.com	
Emergency Contact:	Chemtrec	+1 (800)424-9300
Intended Use:	Cleaner	


2. HAZARDS IDENTIFICATION

Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Oral, Category 4
Acute Toxicity: Skin, Category 4
Skin Corrosion/Irritation, Category 2
Serious Eye Damage/Eye Irritation, Category 1



GHS Signal Word: Danger

GHS Hazard Phrases:	H332 - Harmful if inhaled. H302 - Harmful if swallowed. H312 - Harmful in contact with skin. H315 - Causes skin irritation. H318 - Causes serious eye damage.
GHS Precaution Phrases:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P362+364 - Take off contaminated clothing and wash it before reuse.
GHS Response Phrases:	P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P315 - Get immediate medical advice/attention. P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P315 - Get immediate medical advice/attention. P302+352 - IF ON SKIN: Wash with plenty of soap and water. P332+313 - If skin irritation occurs, get medical advice/attention. P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 - Get immediate medical advice/attention. P321 - Specific treatment see Section 4 reference to supplemental first aid instruction - if immediate measures are required.
GHS Storage and Disposal Phrases:	P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard Rating System:

NFPA Hazard Ratings
Potential Health Effects (Acute and Chronic):

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. When diluted with water, VF-77T is not anticipated to pose a health hazard. Exercise caution, however, when working with the concentrated product (as supplied). All chemicals, regardless of concentration, should be handled with care and in a manner that minimizes exposure.

Inhalation:

Material may be irritating to mucous membranes and upper respiratory tract. May cause headache, loss of appetite, nausea, fatigue, abdominal pain, darkened urine and jaundice. High concentrations may cause acute pulmonary edema. May cause narcotic effects in high concentration. May cause lung damage.

Skin Contact:

May cause skin irritation. May cause skin rash (in milder cases), and cold and clammy skin with cyanosis or pale color.

Eye Contact:

Contact may cause transient eye irritation. May cause burning of eyes and flow of tears. May cause chemical conjunctivitis and corneal damage.

Ingestion:

May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May cause irritation of the mucous membranes in the mouth, throat, esophagus, and stomach. May cause severe and permanent damage to the digestive tract.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
111-76-2	Ethylene glycol monobutyl ether	<6.0 %
141-43-5	Monoethanolamine	<2.5 %
127087-87-0	Poly(oxy-1,2-ethanediyl),.alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched	<10 %
64-02-8	Ethylenediamine tetraacetic acid, tetrasodium salt	<4.0 %

4. FIRST AID MEASURES

Emergency and First Aid
Procedures:

Remove from exposure and move to fresh air immediately. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask. Do NOT use mouth-to-mouth resuscitation. Get medical aid immediately.

In Case of Inhalation:
In Case of Skin Contact:

Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical aid if irritation develops or persists.

In Case of Eye Contact:

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses, if present and easy to do after 5 minutes and continue rinsing for an additional 15 minutes. Get medical aid immediately.

In Case of Ingestion:

If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water. Get immediate medical advice/attention.

Signs and Symptoms of Exposure:

Exposure can cause: Nausea, headache, and vomiting. Gastrointestinal disturbances. Dermatitis. Serious eye damage. Respiratory tract irritation and lung damage.

Note to Physician:

Treat symptomatically and supportively. Show this safety data sheet to the doctor in

attendance.

5. FIRE FIGHTING MEASURES

Flash Pt:	160 F (71.1 C) Method Used: Pensky-Marten Closed Cup
Explosive Limits:	LEL: No data. UEL: No data.
Autoignition Pt:	No data.
Suitable Extinguishing Media:	Use water spray, dry chemical, carbon dioxide, or appropriate foam.
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH approved (or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Containers can build up pressure if exposed to heat (fire). Containers may explode in the heat of a fire. Use water spray to keep fire-exposed containers cool.
Flammable Properties and Hazards:	High temperatures and fires may produce toxic carbon monoxide, carbon dioxide and oxides of phosphorus, nitrogen and sodium.

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Emergency Procedures:	Use proper personal protective equipment as indicated in Section 8.
Environmental Precautions:	Do not let product enter storm drains, storm sewers, watersheds or water systems unless authorized.
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Provide ventilation. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Contain spill using an inert diking material. Transfer material into an approved container for possible recovery and reuse or for disposal.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:	Use with adequate ventilation. Do not get in eyes, on skin, or on clothing. Do not ingest or inhale. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Keep away from heat, sparks and flame. Keep away from sources of ignition. Keep away from oxidizing agents.
Precautions To Be Taken in Storing:	Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from sources of ignition. Keep away from heat, sparks and flame. Keep away from oxidizing agents. Protect containers against damage. Keep container closed when not in use.
Other Precautions:	Handle in accordance with good industrial hygiene and safety practices. Keep out of reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
111-76-2	Ethylene glycol monobutyl ether	PEL: 50 ppm	TLV: 20 ppm	No data.
141-43-5	Monoethanolamine	PEL: 3 ppm	TLV: 3 ppm STEL: 6 ppm	No data.
127087-87-0	Poly(oxy-1,2-ethanediyl),.alpha.-(4-non ylphenyl)-.omega.-hydroxy-,branched	No data.	No data.	No data.
64-02-8	Ethylenediamine tetraacetic acid, tetrasodium salt	No data.	No data.	No data.

Conditions To Avoid - No data available.
Hazardous Reactions:

11. TOXICOLOGICAL INFORMATION

Toxicological Information: Epidemiology: No information available.
 Teratogenicity: No information available.
 Reproductive Effects: No data available.
 Mutagenicity: No data available.
 Neurotoxicity: No information found.
 Other Studies: CAS # 111-76-2:
 Acute toxicity, LC50, Inhalation, Rat, 450.0 ppm, 4 H.
 Acute toxicity, LD50, Oral, Rat, 470.0 mg/kg
 Acute toxicity, LD50, Skin, Rabbit, 220.0 mg/kg

Other Studies: CAS # 64-02-8:
 Acute toxicity, LD50, Oral, Rat, 10.0 mg/kg

Other Studies: CAS # 141-43-5:
 Acute toxicity, LD50, Oral, Rat, 1720 mg/kg
 Acute toxicity, TDLo, Oral, Species: Rat, 115 gm/kg 90D

Irritation or Corrosion: Other Studies: CAS # 111-76-2:
 Standard Draize Test, Eyes, Species: Rabbit, 100.0 mg, 24 H.

Other Studies: CAS # 64-02-8:
 Standard Draize Test, Eyes, Species: Rabbit, 100.00 mg, 24 H.

Other Studies: CAS # 141-43-5:
 Standard Draize Test, Eyes, Species: Rabbit, 250 ug

Sensitization: Skin sensitization testing with human volunteers produced negative results. A skin notation is not recommended by ACGIH, based on estimates from physiologically based pharmacokinetic models which indicate that, even in worst-case dermal-exposure scenarios, 2-butoxyethanol is not absorbed in amounts sufficient to cause red blood cell hemolysis in humans.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. ECOLOGICAL INFORMATION

General Ecological Information: Physical: No information available.

Results of PBT and vPvB assessment: CAS# 111-76-2:
 LC50, Water Flea(Daphnia magna), 1720 mg/l, 24 H, Intoxication
 LC50, Common Shrimp, Sand Shrimp(Crangon crangon), 775000 ug/l, 96 H, Mortality
 LC50, Amphipod (Chaetogammarus marinus), young organism(s), 1000 mg/l, 24 H, Mortality
 LC50, Carp (Leuciscus idus ssp. melanotus), 1575 mg/l, 48 H, Mortality
 Effective concentration to 0% of test organisms, Blue-Green Algae(Microcystis aeruginosa),156000 ug/L,Population

CAS# 141-43-5:
 LC50, Water Flea (Daphnia magna), 140.00 mg/l, 24 H, Intoxication
 LC50, Bluegill (Lepomis macrochirus), 300 mg/l, 24 H, Mortality

CAS# 64-02-8:

LC50, Water Flea (Daphnia magna), 625.00 mg/l, 24 H, Intoxication
LC50, Bluegill (Lepomis macrochirus), 486000 ug/l, 96 H, Mortality

Bioaccumulative Potential: An estimated BCF value of 2.5 was calculated for ethylene glycol mono-n-butyl ether, using an experimental log Kow of 0.83 and a recommended regression-derived equation. According to a recommended classification scheme, this BCF value suggests that bioconcentration in aquatic organisms is low.

Mobility in Soil: TERRESTRIAL FATE: Based on a recommended classification scheme, an estimated Koc value of 67, determined from an experimental log Kow and a recommended regression-derived equation, indicates that ethylene glycol mono-n-butyl ether is expected to have high mobility in soil.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Observe all federal, state, and local environmental regulations.
RCRA P-Series: None listed.
RCRA U-Series: None listed.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: NOT REGULATED FOR DOMESTIC TRANSPORT.
DOT Hazard Class:
UN/NA Number:

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
111-76-2	Ethylene glycol monobutyl ether	No	No	Yes-Cat. N230
141-43-5	Monoethanolamine	No	No	No
127087-87-0	Poly(oxy-1,2-ethanediyl),.alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched	No	No	No
64-02-8	Ethylenediamine tetraacetic acid, tetrasodium salt	No	No	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
111-76-2	Ethylene glycol monobutyl ether	TSCA: Inventory; CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
141-43-5	Monoethanolamine	TSCA: Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8
127087-87-0	Poly(oxy-1,2-ethanediyl),.alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched	TSCA: Inventory, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: No
64-02-8	Ethylenediamine tetraacetic acid, tetrasodium salt	TSCA: Inventory; CA PROP.65: No; CA TAC, Title 8: No

Regulatory Information: PROPOSITION 65 (Chemicals known to the state of California to cause cancer or reproductive toxicity): Trace (CAS #123-91-1) 1,4-dioxane, Trace (CAS #75-21-8) ethylene oxide, Trace (CAS #5064-31-3) nitrilotriacetate, Trace (CAS #77-09-8) phenolphthalein.

16. OTHER INFORMATION

Revision Date: 08/16/2013

Additional Information About This Product: No data available.

This Product:

Company Policy or

Disclaimer:

Vibra Finish company cannot anticipate all conditions which this information and our products, or the products of other manufacturers in combination with our products may be used. We accept no responsibility for results obtained by the application of this information, either alone or in combination with other products. Users are advised to make their own tests to determine the safety and suitability of each such product or product combination for their own purposes. Unless otherwise agreed in writing, buyers and users assume all responsibility and liability for loss or damage arising from the handling and use of our products, whether alone or in combination with other products.